

# GPS/JIPS Safety Summary

## 1. SUBSTANCE NAME

Trifluoromethane (CAS No.: 75-46-7)

### 2. GENERAL STATEMENT

Under normal temperatures, trifluoromethane is a stable, clear, odorless, non-flammable gas that has been specified as a greenhouse gas. When handling the gas, it is necessary to exercise caution in regard to oxygen deficiency and high-pressure gas.

Our high-quality trifluoromethane is suitable for use in semiconductor manufacturing processes, as an etching and cleaning gas.

## 3. CHEMICAL IDENTITY

Item	Description
Chemical or generic	Trifluoromethane
name	
Product name	High Purity HFC-23
CAS No.	75-46-7
Other Nos.	Japan: Chemical Substances Control Law (2)-47
	EC No. EINECS No: 200-872-4
Chemical formula	$\mathrm{CHF}_3$
Structural formula	H F-C-F F
Sources/references	Sections 3 and 16 of the SDS issued by SHOWA DENKO K.K.

### 4. USES AND APPLICATIONS

Main uses	Our trifluoromethane is used for an etching gas or a cleaning gas as
	a high-quality gas for producing semiconductors. Other applications
	of trifluoromethane include a refrigerant agent.

### 5. PHYSICAL/CHEMICAL PROPERTIES

Trifluoromethane takes form of a clear gas under normal temperatures and pressures.

Appearance	Gas
Color	Colorless
Odor	Odorless
Boiling point	-82.0 °C
Flammability	Non-combustible
Auto-ignition	No reliable data
temperature	

Vapor pressure	4.730MPa (25 °C)
Vapor density	Gas density:2.99Kg/m³(101.3KPa, 15 °C)
Solubility in water	0.10g/100g (101.3KPa, 25 °C)
Partition coefficient (n-octanol/water)	LogPow=0.64
Sources/references	Section 9 of the SDS issued by SHOWA DENKO K.K.

## 6. HEALTH EFFECTS

Effect assessment	Results (GHS <sup>(Note 1)</sup> hazard classification)
Acute toxicity (oral)	Classification not possible (Note 2)
Acute toxicity (dermal)	Classification not possible
Acute toxicity (Inhalation : gases)	Not classified (Note 3)
Acute toxicity (Inhalation: vapors)	Not applicable (Note 4)
Acute toxicity (Inhalation : dusts and mists)	Not applicable
Skin corrosion/irritation	Classification not possible
Serious eye damage/eye irritation	Classification not possible
Respiratory sensitization	Classification not possible
Germ cell mutagenicity	Classification not possible
Carcinogenicity	Classification not possible
Reproductive toxicity	Classification not possible
Specific target organ toxicity (single exposure)	Category 3 (narcotic effect)
Specific target organ toxicity (repeated exposure)	Not classified
Aspiration hazard	Not applicable
Sources/references	Sections 2, 11 of the SDS issued by SHOWA DENKO K. K.
	DEMINO IX, IX,

(Note 1) GHS (Globally Harmonized System of Classification and Labeling of Chemicals): It is a system for classifying chemicals according to type and hazard level, and for indicating label information pursuant to the globally unified rules for offering Safety Data Sheets. (Note 2) Classification not possible: when unable to classify due to a lack of sufficiently reliable data for defining the classification.

(Note 3) Not classified: when the hazards are believed to be less than even the lowest hazard classification defined in the GHS.

(Note 4) Not applicable: when chemicals do not fall within the scope of classification because the physical properties defined in the GHS do not apply.

### 7. ENVIRONMENTAL EFFECTS

Effect assessment	Results (GHS hazard classification)
Hazardous to the aquatic environment	
Acute hazard	Not classified
Long-term hazard	Classification not possible
Hazardous to the ozone layer	Montreal Protocol on Substances that Deplete the Ozone Layer (revised version): not included in the list
Sources/references	Sections 2 of the SDS issued by SHOWA DENKO K.K.

Environmental	Results
fate/dynamics	
Mobility in soil	No reliable data available.
Persistence/degradabi	No reliable data available.
lity	No remable data available.
Bioaccumulation	Bioaccumulation potential is presumed to be low.(BCF:3.2,
potential	LogPow:0.64)
Conclusion about	The criteria for persistent bioaccumulative and toxic (PBT;
PBT/vPvB	remaining persistently in the environment and possessing high
	bioaccumulation potential and toxicity) and very persistent and
	very bioaccumulative (vPvB; remaining very persistently in the
	environment and possessing very high bioaccumulation potential)
	chemicals are believed to inapplicable.
Other	Emissions of gas affecting global warming. Global warning
	potential (GWP 100years): 11,700(Legal value)
Sources/references	Section 12 of the SDS issued by SHOWA DENKO K.K.

# 8. EXPOSURE

	Exposure potentials through main uses
Occupational exposures	Since the company's product is produced in a closed process, the potential for occupational exposure is extremely limited. However, workers could inhale the substance, or their skin and eyes could come in direct contact with it when sampling, etc.
Consumer exposures	The substance is not used in any case by general consumers.
Environmental exposures	Since the substance is normally manufactured and used in a closed process, its emission into the environment is extremely limited. The substance exists in the form of gas under normal temperatures and pressures, and is believed to be dispersed in the air when discharged into the environment. Further, the substance could be promptly decomposed in the air.
Precautions	If there is the potential for exposure during use in other applications, please implement appropriate measures by referring to the risk management recommendations.

# 9. RISK MANAGEMENT RECOMMENDATIONS

	Risk management recommendations	
Occupational	Technical measures	
exposures	•Install a wash stand, eye washer and safety shower at places that	
	manufacture, store or handle the product. Additionally, when handling	
	the substance, implement the following technical measures.	
	Local exhaust and total ventilation	
	•Install local exhaust or total ventilation systems at places where the	
	product is manufactured, stored or handled. Additionally, maintain	
	appropriate air concentration levels.	
	Protective equipment	
	While working, wear appropriate protective eyewears, air-supplied	
	respirators, clothes and protective gloves made of materials	

	impermeable to trifluoromethane.
	Precautions
	•Managers responsible for processes should educate workers on the
	selection of appropriate protective gear, their proper usage and how to manage their working places.
Consumer	Normally, general consumers would not use the substance. However if it
exposures	is used, implement risk-management measures similar to those
	indicated in "Occupational Exposures" above.
Environmental	In order to prevent environmental exposures, implement preventive
exposures	measures against leakage into the atmosphere, for instance, treatment
	of the used gases containing trifluoromethane with an exhaust gas
	treatment facility, and also pay attention to the daily management and handling of the substance.
	nanuling of the substance.
Special	In the event of leakage, make certain to wear protective gear and deal
instructions	with it appropriately. Abide by the relevant acts and regulations when
(emergency	disposing the collected substance.
measures at times	
of leakage, etc.)	
Sources/references	Sections 6, 7, 8, and 13 of the SDS issued by SHOWA DENKO K.K.

# 10. STATE AGENCY REVIEW

Hazard assessment	Situations of review
International Chemical	ICSC No:0577、
Safety Cards	http://www.ilo.org/dyn/icsc/showcard.display?p_lang=en&p_ca
	rd_id=0577

# 11. REGULATORY INFORMATION/ GHS CLASSIFICATION-LABELING INFORMATION

Regulatory information only in Japan

Applicable laws	Regulatory situations
Foreign Exchange and	•Item (2), Appended Table 1-16 of Export Trade Control Order
Foreign Trade Act	
Act on Port Regulations	Hazardous substances • Compressed gas , Article 21-2 of the
	Act, Article 12 of Enforcement Regulations
Civil Aeronautics Act	Pressurized gases, Appended Table 1 specifying the
	hazardous substances, Article 194 of the Enforcement
	Regulations
High Pressure Gas Safety	•Liquefied gas, Article 2-1 of the Act
Act	•Non-flammable gas, Article 2-4 of Regulations for Safety
	Precautions for High-Pressure Gas
Ship Safety Act	High Pressure gas, Appended Table 1 specifying the
	hazardous substances, Article 3 of Regulations for the
	Carriage and Storage of Dangerous Goods in Ship
Road Act	•Restrictions on vehicle traffic, Article 19-13 of the
	Enforcement Ordinance, Appended Table 2 of Notification
	No.12 of Japan Expressway Holding and Debt Repayment
	Agency

UN classification	Class 2.2
UN No.	UN1984

GHS classification, label information

OTIO CIassification, laber mitorination					
Hazards	Classification results (hazard information)				
Physical chemical hazards					
Flammable gases	Not classified				
Gases under Pressure	High Pressure liquefied gas				
Health hazards					
Specific target organ toxicity (single exposure)	Category 3 (narcotic effect)				
Specific target organ toxicity (repeated exposure)	Not classified				
Hazardous to the aquatic environment					
Acute hazard	Not classified				
GHS label elements					
Pictogram or symbol					
Signal word V	Varning				
Hazard statement (	Contains gas under pressure; may explode if heated				
l N	May cause drowsiness or dizziness				

### 12. CONTACT INFORMATION

Company name SHOWA DENKO K.K.

Address Muza Kawasaki Central Tower 23rd floor, 1310 Omiya-cho,

Saiwai-ku, Kawasaki, Kanagawa, Japan

Department Fine Products Group, Electronic Chemicals Division

Telephone, fax +81-44-520-1362/+81-44-520-1366

## 13. DATE OF ISSUE AND REVISION, ADDITIONAL INFORMATION

Date of issue: December 12, 2013

Revisions:

Date of revision	Revised	Revised item	Version
	section		

Special instructions: none

### 14. DISCLAIMER

This Safety Summary which is a translation of original Safety Summary prepared in Japanese, has been prepared as a part of the efforts by GPS/JIPS: Japan Initiative of Product Stewardship by the chemical industry. This Safety Summary is meant to provide an outline of information related to the safe handling of the subject substance rather than provide expert information regarding the risk assessment processes, the effect on human health or the environment, etc. Moreover it is not a replacement for the Safety Data Sheet (SDS), the

Chemical Safety Report (CSR), or other risk assessment documents. To the greatest extent possible, the Safety Summary contains accurate statements based on laws, materials, information and other data available at the time of issue. However, it does not cover all such data. Additionally, it does not intend to provide a guarantee in any way.