# **Kao Corporation**



## **GLOBAL PRODUCT STRATEGY SAFETY SUMMARY**

#### **EMAL 125HP**

This document is a high-level summary intended to provide the general public with an overview of product safety for this substance. It is not intended to replace the Safety Data Sheet, which is available from suppliers and should be referred to for full details of recommended safety procedures for each type of use. It is not intended to replace or supersede manufacturer's instructions and warnings for their consumer products containing this substance.

## 1. Substance Identity

Brand Name: EMAL 125HP

Chemical Name: Sodium polyoxyethylene(1) lauryl ether sulfates (Main component)

CAS Number: 68585-34-2

## 2. Uses and Applications

EMAL 125HP is an anionic surfactant. It is used as body soap, facial wash, shampoo, and others.

For the industrial use, EMAL 125HP is mainly used as aqueous cleaner, and others.

## 3. Physical/Chemical Properties

EMAL 125HP has no identified physicochemical hazards.

Property	Value
Physical state	Liquid
Colour	Pale yellow
Odour	No information available
рН	11.0 (Undiluted solution)
Density	1.037 g/mL (30 °C) ( 86 °F)
	1.033 g/mL ( 40 °C) ( 104 °F)

	1.029 g/mL (50 °C) (122 °F)
Melting point	No information available
Boiling point	No information available
Flash point	Not applicable
Flammability	No information available
Explosive properties	No information available
Self – ignition temperature	No information available
Vapour pressure	No information available
Water solubility	Soluble
Octanol-water partition coefficient (log K <sub>ow</sub> )	No information available
	27.5 mPa·s (30 °C) ( 86 °F)
Viscosity	16.9 mPa·s (40 °C) (104 °F)
	11.8 mPa·s (50 °C) (122 °F)

# 4. Human Health Safety Assessment

Consumer: The exposure to EMAL 125HP is at safe levels.

Worker: The repeated exposure of EMAL 125HP does not cause any toxic effects

Effect Assessment	Result
Acute Toxicity oral/ dermal	No acute toxicity after oral/ dermal exposure
	in practical use
	The substance does not cause damage to
	any organs following single exposure
Irritation	Undiluted substance causes skin irritation
skin/ eye	Causes serious eye damage
Sensitization	Based on the available data, unlikely to
	cause allergic skin reaction
	Unlikely to cause any toxic effects through
Toxicity after repeated exposure	prolonged or repeated oral exposure in
	practical use
Mutagenicity	Based on the available data, unlikely to
	cause genetic defects
Carcinogenicity	Based on the available data, unlikely to
	cause cancer
Toxicity for reproduction	Based on the available data, unlikely to be
	damaging to fertility or the unborn child

## **5. Environmental Safety Assessment**

The test results with fish, aquatic invertebrates and algae suggest that EMAL 125HP could cause a toxicity to aquatic organisms. It also could cause harmfulness to aquatic organisms with long lasting effects. However, EMAL 125HP is unlikely to persist in the environment because of showing the readily biodegradation. EMAL 125HP does not bioaccumulate in the food chain.

Effect Assessment	Result
Aquatic Toxicity	Based on the available data, likely to cause a toxicity to aquatic organisms and harmful to aquatic life with long lasting effects
Biodegradation	Readily biodegradable
PBT/ vPvB conclusion*	Not persistent in the environment, not bioaccumulating in organisms and not toxic nor very persistent and very bioaccumulating

<sup>\*</sup>PBT=Persistent, Bioaccumulative and Toxic vPvB=Very Persistent and Very Bioaccumulative

## 6. Exposure

#### Consumer

The consumer can come into contact with the substance in use of the detergents, but the concentration of EMAL 125HP in use is below the level which would give rise harmful effects of concern. When it's used as the recommended use, consumer should always read product information before use and follow the label/ use instructions.

#### Worker

The exposure can occur either in EMAL 125HP manufacturing facilities or in the various industrial facilities when EMAL 125HP is used. Those workers in industrial operations during maintenance, sampling, testing, or other procedures could be exposed with EMAL 125HP. Only qualified and trained workers handle the undiluted substance. The manufacturing facilities offer thorough training program for employees and appropriate work processes, as well as safety equipment (goggles and gloves) in place to present an unnecessary exposure. Safety showers and eye-wash stations are accessible nearby. Workers are required to be trained in accordance with the safety measures in the Safety Data Sheet.

#### **Environment**

Since this substance is used extensively, it is discharged to waste water treatment plants from industrial sites such as manufacturing, preparation, handling, storage and use of the substance as well as from consumer households. However, the substance is readily biodegradable, so that it is removed efficiently in waste water treatment plants. The substance is biologically degraded in the surface water and is rapidly removed even if it is remained slightly in the waste water. Hence, the chronic exposure to aquatic organisms of the substance is unlikely to occur. Furthermore, the substance dose not accumulate in the food chain, so that there is no concern of human exposure through environmental pathway.

#### 7. Risk management recommendations

When you use the substance, make sure to be measured the adequate ventilation. Always use appropriate chemical-resistant gloves to protect your hands and skin and always wear eye protection equipment. Do not eat, drink or smoke where the substance is handled,

processed or stored. Wash hands and skin after contact with the substance. When the substance attaches to skin (or hair), take off the contaminated clothes. Wash with a large amount of water and soap. When it causes your skin irritation, consult doctor (medical diagnosis/therapy). If the substance gets into your eyes, rinse your eyes thoroughly for several minutes. If you wear contact lens, and you can take it off easily, take it off and continue to rinse your eyes. Contact to a doctor immediately.

Waste water containing the substance must be passed the waste water treatment plants in order to remove the substance. No specific measures are needed, because it is not expected to be released into the air.

#### 8. Regulatory Information / Classification and Labelling

Under GHS classification chemical substances are classified in hazards for physical properties, human health and environment. The hazard information for industrial products are transmitted via specific labels and Safety Data Sheet. GHS offers the standardization for hazard communication. The subjects who could be assumed to be exposed to the substance, workers, consumers, transport workers, and emergency responders, can better understand the hazards of the chemicals in use through the transmission.

## Labeling according to UN GHS

UN GHS is the basis for country specific GHS labeling. EMAL 125HP may be assigned to following GHS classification.



### **Classification and Labeling Information**

Skin Irrit. 2
Eye Dam. 1
Aquatic Acute 2
Aquatic Chronic 3

#### **Hazard Statements:**

H315: Causes skin irritation

H318: Causes serious eye damage

H401: Toxic to aquatic life

H412: Harmful to aquatic life with long lasting effects

## **Signal Word**

Danger

The laws of manufacturing, sale, transport, use and disposal are different among countries or areas. Details are referred to Safety Data Sheet provided by the supplier.

#### 9. Conclusion

Though EMAL 125HP is suggested to cause a toxicity to aquatic organisms, there is no concern to the environmental organisms due to the rapid biodegradation of EMAL 125HP. In the PBT/vPvB assessments for EMAL 125HP, the substance is not applicable to PBT/vPvB. Contact with the undiluted EMAL 125HP may cause irritation to the skin and serious damage to the eyes. When handling the substance, workers should follow the standard safety measures and refer to the Safety Data Sheet. Consumers will usually not come into contact with the substance bulk and the substance is used diluted products, therefore, it is considered that EMAL 125HP gives rise no hazardous effects to human health.

### 10. Contact information within company

For further information on this substance or product safety summaries in general, please contact:

Name Kao Corporation, Global Chemical Business

Telephone number +81-3-5630-7700
Fax number +81-3-5630-7889
E-mail address chemical@kao.co.jp

Additional information can be found at the International Council of Chemical Associations portal, found at <a href="http://www.icca-chem.org/en/Home/ICCA-initiatives/global-product-strategy/">http://www.icca-chem.org/en/Home/ICCA-initiatives/global-product-strategy/</a>.

## 11. Glossary

Hazard	Hazardous property for human health or environments
GHS	Globally Harmonized System of Classification and Labeling of Chemicals
Acute Toxicity	Adverse effects that result from a single exposure
Sensitization	Inducibility of allergy
Mutagenicity	Effects to induce gene mutations
Toxicity after repeated exposure	Adverse effects that result from repeated exposure
Toxicity for reproduction	Adverse effects for teratogenicity, embryotoxicity, and reproductivity
Carcinogenicity	Action influence to cause a cancer
Biodegradation	Biological degradation of a substance in environments
Bioaccumulation	Accumulation of substances in environments

#### 12. Date of issue

December 14 2018